

# DORAXIN

Proflavin Hemisulphate 0.1% w/w, Gamma Benzene Hexachloride 0.1% w/w,  
Cetrimide 0.45% w/w Veterinary Antiseptic Cream

## Description

This veterinary antiseptic cream is a **broad-spectrum topical formulation** designed for **external application** on wounds, minor cuts, skin infections, abrasions, and dermatitis. It contains **Proflavin Hemisulphate** for antimicrobial protection, **Gamma Benzene Hexachloride** for enhanced antiseptic action, and **Cetrimide** as a gentle yet effective cleansing agent.

Packaged in **laminated (Lamy) tubes** to ensure long-lasting stability and hygienic application.

## Composition

- **Proflavin Hemisulphate** – 0.1% w/w
- **Gamma Benzene Hexachloride** – 0.1% w/w
- **Cetrimide** – 0.45% w/w
- **Cream Base** – q.s. to 100%
- **Container Type:** Lamy Tube
- **Available Sizes:** 30 gm and 100 gm

## Category

- Veterinary Topical Antiseptic Cream
- Skin Protection & Wound Healing
- External Use Only

## Specification

- **Form:** Cream
- **Appearance:** Smooth, yellowish to light amber cream
- **Odour:** Mild antiseptic fragrance
- **Packaging:** Lamy tubes with tamper-evident seal
- **Non-greasy and non-staining formula**

## Indications

Used for the topical treatment and management of:

- Minor wounds and cuts
- Surgical incisions
- Superficial skin infections
- Dermatitis and abrasions
- General antiseptic wound dressing

Suitable for:

- **Cattle**
- **Sheep**
- **Goats**
- **Horses**
- **Dogs**
- **Other domestic livestock**

## Dosage and Route of Administration

- **Route:** Topical application
- **Method of Use:**
  - Clean the affected area with water or saline
  - Apply a thin, even layer of the cream over the wound
  - Repeat 1–2 times daily, or as directed by the veterinarian
  - Continue until the area shows signs of healing

## Usage and Advantages

- Promotes faster healing of minor wounds
- Prevents bacterial contamination and infection
- Non-irritating to skin
- Gentle yet effective antiseptic protection
- Easy to apply, hygienic tube packaging
- Suitable for regular first-aid use on farm animals and pets

## **Adverse Effects**

- Rarely, mild local irritation in hypersensitive animals
- Do not apply to deep or heavily infected wounds without veterinary guidance
- Not to be used in or around the eyes or mucous membranes

## **Precautions and Warnings**

- For **external veterinary use only**
- Keep out of reach of children
- Avoid ingestion or internal use
- Not to be used on extensive body surfaces for prolonged periods
- Clean hands or wear gloves during application

## **Withdrawal Period**

- **Meat:** 7 days
- **Milk:** Nil (*unless used over large areas—consult veterinarian*)

## **Storage**

- Store below 30°C
- Keep away from direct sunlight and heat
- Close the tube tightly after each use

## **Handling and Disposal**

- Do not reuse the empty tube
- Discard as per veterinary waste management guidelines
- Avoid contamination during use

## **HS Code and HSN Code**

- **HS Code:** 3004.90
- **HSN Code:** 300490 (Topical veterinary antiseptic creams)

## Details of Human and Veterinary Application

- **Veterinary:** Safe for use on livestock and pets
- **Human:** Not intended for human use

## Frequently Asked Questions (FAQs)

**Q1: What is this cream used for?**

**A:** It's a veterinary antiseptic cream for treating minor cuts, wounds, and skin infections.

**Q2: Is it safe to use on all animals?**

**A:** Yes, but always follow veterinary advice—especially for sensitive animals like dogs or foals.

**Q3: Can this cream be used on surgical wounds?**

**A:** Yes, under veterinary guidance for minor post-surgical topical care.

**Q4: Is it an antibiotic?**

**A:** No, it's an **antiseptic** — it cleans and protects wounds but does not contain antibiotics.

**Q5: Can I use it daily?**

**A:** Yes, apply once or twice daily as needed until healing is observed.

