

COCCIDOT

Herbal Digestive Support Liquid Formulation Veterinary Feed Supplement

Description:

This veterinary feed supplement is a liquid formulation containing a synergistic blend of traditional botanical extracts and herbal ingredients designed to enhance digestive health and general well-being in poultry. The herbal components work together to support gastrointestinal function, promote appetite, aid in nutrient absorption, and alleviate digestive disturbances such as dysentery. Formulated for ease of administration, it can be added to drinking water or given directly to poultry under veterinary guidance.

Specification:

- Bombay Malabaricum — 55 mg
- Papaveris Capsules — 55 mg
- Month Sylvestris — 75 mg
- Anethan Foeniculom — 70 mg
- Aegie Mermeles — 60 mg
- Acacia Arabica — 145 mg
- Resina Flova — 60 mg
- Kura Chhol — 70 mg
- Papver Semniferus — 25 mg
- Holarrehna Antidysentrica — 15 mg
- Ferula Asafoetida — 12 mg

Category:

Poultry

Pack Size:

Available in **500 ml and 1 litre** bottles suitable for various scales of poultry farming.

Indication:

Recommended for use in poultry to support and maintain optimal digestive health. It is effective in managing symptoms related to gastrointestinal upset, including mild to moderate dysentery, and helps enhance appetite and feed efficiency. This supplement supports the overall vitality and disease resistance of poultry through improved gut health.

Dosage and Route of Administration:

Administer orally, preferably mixed with drinking water or given directly, as per veterinary instructions. Dosage depends on the weight and health status of the birds. Careful adherence to dosage recommendations is essential for safety and efficacy.

Product Form:

A liquid herbal feed supplement designed for ease of administration and quick absorption.

Usage:

Used as a supportive feed supplement to improve digestion, promote appetite, and enhance nutrient utilization in poultry.

Advantages:

This product combines natural herbs traditionally known for their digestive and therapeutic properties. Its advantages include improved gastrointestinal function, reduction in digestive ailments, increased feed intake, and better nutrient absorption, contributing to healthier and more productive poultry.

Adverse Effects:

Generally safe when used as directed. Overdosage may cause mild gastrointestinal discomfort. If adverse effects occur, discontinue use and consult a veterinarian promptly.

Withdrawal Period:

No withdrawal period is required as this is a feed supplement. However, always adhere to veterinary advice and local regulations.

Schedule:

This product is classified as a non-scheduled veterinary feed supplement.

Precautions:

Use only under veterinary supervision. Store in a cool, dry place away from direct sunlight and extreme temperatures. Keep out of reach of children and animals other than intended poultry.

Storage and Handling:

Store between 15°C and 30°C. Protect from freezing and excessive heat. Shake well before use to ensure uniform distribution of ingredients.

HS & HSN Codes

 HS Code: 21069090

 HSN Code: 2106

Special Instructions:

Ensure thorough mixing when added to drinking water. Strictly follow the veterinarian's dosage instructions. Monitor poultry closely for any signs of intolerance or allergic reactions during treatment.

Details of Human and Veterinary Application:

This product is intended solely for veterinary use in poultry. It is not suitable for human consumption. Proper hygiene and handling practices must be observed to avoid contamination and ensure safety.

Frequently Asked Questions (FAQs):

What is the purpose of this veterinary feed supplement?

This supplement is designed to support digestive health, improve appetite, and manage digestive disorders in poultry, contributing to overall flock vitality.

Can this supplement be used for all types of poultry?

Yes, it is suitable for various poultry species, including chickens, ducks, and turkeys, but veterinary advice should be sought for specific cases or health concerns.

Is there a withdrawal period required after administering this supplement?

No withdrawal period is generally required for this feed supplement; however, it is important to follow local regulations and veterinary recommendations.

How should the product be stored to maintain efficacy?

Store in a cool, dry place away from direct sunlight and extreme temperatures. Proper storage ensures ingredient stability and effectiveness.

Are there any potential side effects associated with this supplement?

Side effects are rare but may include mild gastrointestinal upset if the supplement is overdosed. If adverse reactions occur, discontinue use and consult a veterinarian.